UEMCOWELY CALL

2505 Parview Road, Middleton, WI 53562-2579 (800) 383 • 7799 (608) 831 • 7888 FAX(608) 831 • 0866 www.newcomersupply.com · newly@newcomersupply.com

THIS MATERIAL SAFETY DATA SHEET IS "ESSENTIALLY SIMILAR" TO OSHA FORM 174 AND COMPLIES WITH CFR 1910.1200.

EMERGENCY: CHEMTREC (800) 424-9300

SECTION I PRODUCT IDENTIFICATION

NAME: MICHEL TRANSPORT MEDIUM

MICHEL TRANSPORT MEDIUM VIALS

MICHEL TRANSPORT MEDIUM VIALS - ORANGE LID

CHEMICAL NAME: AQUIFOUS SOLUTION

CATALOG#: 1242

12423 12424

SECTION II.A HAZARDOUS INGREDIENTS

NAME CAS# ACGIH OSHA TWA / STEL TWA / CEIL 1. N-ETHYLMALEIMIDE <1 128-53-0 NONE LISTED NONE LISTED 2. POTASSIUM CITRATE <1 866-84-2 NONE LISTED NONE LISTED 3. MAGNESIUM SULFATE <1 7487-88-9 NONE LISTED NONE LISTED 4. AMMONIUM SULFATE 35 7783-20-2 NONE LISTED NONE LISTED

SECTION II.B EMERGENCY OVERVIEW

CAUTION: CONTACT WITH SKIN OR EYES MAY CAUSE IRRITATION, WEAR CHEMICALLY RESISTANT GLOVES AND EYE PROTECTION DURING USE.

SECTION IIB HAZARDOUS INGREDIENTS REGULATORY INFORMATION

NAME EPA# TSCA INVENTORY SARA INFO 1. N-ETHYLMALEIMIDE NONE LISTED NONE 2. POTASSIUM CITRATE NONE LISTED NONE 3. MAGNESIUM SULFATE NONE LISTED NONE 4. AMMONIUM SULFATE NONE LISTED NONE

SECTION III GENERAL PHYSICAL & CHEMICAL INFORMATION ABOUT THIS PRODUCT

BOILING POINT: NA

MELTING POINT: NA

SETTLED AT BOTTOM.

VAPOR PRESSURE: NA

pH AS SUPPLIED: NEUTRAL

PHYSICAL DESCRIPTION: SOLID () LIQUID (X) GAS () SUSPENSION () EMULSION ()

WATER SOLUBILITY: COMPLETE **EVAPORATION RATE: NA**

%VOLATILES BY VOLUME: NA

SPECIFIC GRAVITY: NA

PHYSICAL APPEARANCE, ODOR, COLOR: CLEAR LIQUID WITH CLEAR TO WHITE CRYSTALS FLOATING OR

SECTION IV FIRE AND EXPLOSION HAZARD DATA

FLAMMABLE: NON FLASH POINT: NA

LEL: NA

UEL: NA

NFPA HAZARD CLASS:

HEALTH HAZARD FLAMMABILITY

REACTIVITY OTHER

1

0 = LEAST 1 = SLIGHT 2 = MODERATE 3 = HIGH 4 = EXTREME



EXTINGUISHING MEDIA: MATERIAL IS NON-COMBUSTIBLE; USE MEDIA MOST APPROPRIATE FOR SURROUNDING FIRE.

SPECIAL FIRE FIGHTING PROCEDURES: NONE

UNUSUAL FIRE & EXPLOSION HAZARDS: MAY EMIT TOXIC FUMES UNDER FIRE CONDITIONS.

SECTION V REACTIVITY DATA

STABILITY: STABLE.

INCOMPATIBLE MATERIALS (AVOID CONTACT WITH): STRONG OXIDIZERS, STRONG ACIDS, AND STRONG BASES.

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE/DIOXIDE BY COMBUSTION; NOX GAS, AMMONIA.

HAZARDOUS POLYMERIZATION: NONE KNOWN.

SECTION VI HEALTH HAZARD DATA

ROUTES OF ENTRY/SYMPTOMS:

EYE CONTACT: STINGING OR BURNING SENSATION, WATERING, REDNESS AND SWELLING OF EYELIDS.

SKIN CONTACT: SMARTING OR TINGLING, BURNING SENSATION, REDNESS, SWELLING.

INHALATION (BREATHING): IRRITATION OF MUCOUS MEMBRANES, WATERING OF EYES, SALIVATION, FITS OF COUGHING.

INGESTION (SWALLOWING): IRRITATION AND PAINFUL BURNING OF LIPS, MOUTH, AND THROAT, PAINFUL SWALLOWING, SWELLING OF THROAT, INTENSE THIRST, PAINFUL STOMACH CRAMPS.

EMERGENCY FIRST AID PROCEDURES:

EYE CONTACT: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES, LIFTING AND RINSING UPPER AND LOWER EYELIDS. GET MEDICAL ATTENTION.

SKIN CONTACT: WASH WITH PLENTY OF SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. IF IRRITATION DEVELOPS, SEEK MEDICAL ATTENTION.

INHALATION (BREATHING): REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN AND SEEK MEDICAL ATTENTION. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

INGESTION (SWALLOWING): WASH OUT MOUTH WITH WATER. DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION.

TOXICITY DATA: N-ETHYLMALEIMIDE: LD50 = 25MG/KG, ORAL, MOUSE; POTASSIUM CITRATE: NO LD50/LC50 INFORMATION FOUND FOR THIS MATERIAL; MAGNESIUM SUI, FATE: LD50 = 1200MG/KG, SUBCUTANEOUS, RAT; AMMONIUM SULFATE: LD50 = 640MG/KG, ORAL, MOUSE. NONE OF THE MATERIALS IN THIS PRODUCT ARE LISTED AS CARCINOGENIC BY ACGIH, IARC, NTP, OR OSHA.



SECTION VII RECAUTIONS FOR SAFE HANDLING AND USE

IN EVENT OF SPILL OR RELEASE: DONNING APPROPRIATE PROTECTIVE GEAR, STOP OR CONTROL LEAK. CONTROL RUNOFF AND ISOLATE DISCHARGED MATERIAL. COVER SPILL WITH LIME OR SODA ASH, PICK UP, AND STORE IN A CLOSED CONTAINER FOR PROPER DISPOSAL. WASH AREA DOWN SEVERAL TIMES WITH A WET SPONGE OR MOP AND ADD TO WASTE. ALLOW AREA TO AIR DRY.

WASTE DISPOSAL METHOD: ADD TO A COMBUSTIBLE SOLVENT AND BURN IN AN EPA-LICENSED CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.

STORAGE AND HANDLING PRECAUTIONS: KEEP WELL CLOSED. PROTECT FROM LIGHT. SEPARATE FROM STRONG OXIDIZERS, ACIDS, AND BASES. REFRIGERATE.

SECTION VIII CONTROL MEASURES

RESPIRATION PROTECTION: NONE GENERALLY NEEDED UNDER ORDINARY LAB CONDITIONS.

VENTILATION: LOCAL EXHAUST.

GLOVES: CHEMICAL RESISTANT GLOVES ARE RECOMMENDED TO PREVENT SKIN EXPOSURE. LATEX GLOVES ARE NOT RECOMMENDED.

EYE PROTECTION: SPLASH-PROOF CHEMICAL SAFETY GOGGLES.

OTHER PROTECTION EQUIPMENT: EYE WASH, SAFETY SHOWER, LAB COAT.

THE INFORMATION CONTAINED HEREIN IS PROVIDED IN GOOD FAITH, AND IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. THIS INFORMATION IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND. NEWCOMER SUPPLY, INC. MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, CONCERNING THE INFORMATION CONTAINED HEREIN OR ANY OF THE PRODUCTS TO WHICH THIS INSERT REFERS, INCLUDING, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT OR OTHERWISE. IN NO EVENT WILL NEWCOMER BE LIABLE FOR ANY LOST REVENUE, LOST PROFIT, LOST DATA, OR ATTORNEY FEES, OR FOR ANY SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL, OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY.

NOTHING CONTAINED HEREIN SHALL BE CONSTRUED OR SHALL CONSTITUTE A WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, WITH RESPECT TO ANY PRODUCT OR PRODUCTS TO WHICH THIS INFORMATION REFERS. NEWCOMER'S LIMITED WARRANTIES RELATING TO ITS PRODUCTS, AND THE LIMITATIONS ON SUCH WARRANTIES, IS STRICTLY LIMITED TO THE EXCLUSIVE WARRANTY CONTAINED IN THE NEWCOMER CATALOGUE IN EFFECT ON THE INVOICE DATE OR THE INSERT ACCOMPANYING THE NEWCOMER PRODUCT IN QUESTION, AS APPLICABLE.

Dated: JANUARY 15, 1992 Revised: JANUARY 2, 2003 Revised: DECEMBER 28, 2005 Revised: FEBRUARY 3, 2006 Revised: NOVEMBER 15, 2007

